UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/553,665	07/27/2006	Gilles Gallou	PF030062	3795
<sup>24498</sup> Joseph J. Laks	7590 09/02/200	EXAMINER		
Thomson Licen		CHACKO, JOE		
PO Box 5312	Independence Way, Patent Operations O Box 5312			PAPER NUMBER
PRINCETON, NJ 08543			2152	
			MAIL DATE	DELIVERY MODE
			09/02/2008	PAPER

## Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/553,665	GALLOU ET AL.			
Office Action Summary	Examiner	Art Unit			
	JOE CHACKO	2152			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	lely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on 10/17 2a) This action is <b>FINAL</b> . 2b) This 3) Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro				
Disposition of Claims					
4) Claim(s) 1-15 is/are pending in the application.  4a) Of the above claim(s) is/are withdray  5) Claim(s) is/are allowed.  6) Claim(s) 1-15 is/are rejected.  7) Claim(s) is/are objected to.  8) Claim(s) are subject to restriction and/or  Application Papers  9) The specification is objected to by the Examine	vn from consideration. r election requirement. r.	to by the Examiner			
<ul> <li>10) ☐ The drawing(s) filed on 17 October 2005 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.         Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).         Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).</li> <li>11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.</li> </ul>					
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date 10/17/2005.	4)  Interview Summary Paper No(s)/Mail Da 5)  Notice of Informal P 6)  Other:	ite			

Art Unit: 2152

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1, 4, 5, 7, 8, 9-11, 14 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Harumoto et al.(U.S. Patent Pub. No. 2002/0004840 A1) in view of Laubach et al. (U.S. Patent No. 5,870,134)

As to **claim 1**, Harumoto et al. discloses a data requesting device(fig. 1,102,terminal) through at least one first communication network from at least one data server (fig.1, 101, server), said data requesting device being able to support up to a maximum bandwidth rate ([0117]), and comprising: at least one input buffer (fig.3, 505, reception buffer) having an input buffer side ([0121]), sending means (fig. 3, 507, transmission/reception module) for sending requests of determined data to the server ([0121]) via at least one second communication network, and receiving means (fig.3, 505, transmission/reception module) for receiving streamed data from said server into said input buffer via said first communication network and for providing said data to processing means (fig.3, 510, playback module) for them to be exploited ([0122]), wherein said data requesting device comprises retrieving means for retrieving information representative of said maximum bandwidth rate ( [0139], parameter S\_max) and of said input buffer side, and in that said sending means are intended to transmit to said server via said second network said information, so that said server is able to determine at least one size of successive portions of said required data ( [0139],

Art Unit: 2152

parameter S\_target) and at least one delay ([0139], parameter T\_delay) between two successive sending steps of said portions. ( [0153], where server controls the transmission speed based on the parameters )

Harumoto et al. does not disclose the sending requests of determined data to the server via at least one second communication network

Laubach et al. does disclose sending requests of determined data to the server via at least one second communication network (column 1, lines 35-50; where various systems proposed distinct, separate paths were established for downstream versus upstream communications)

At the time of the invention, it would have been obvious to a person of ordinary skilled in the art to modify Harumoto et al. by incorporating a seperate and distinct communication network as disclosed by Laubach et al. The rationale behind this is modification would be that a person of ordinary skill in the art would be motivated to combine the prior arts to achieve the claimed invention.

As to **claim 4**, Harumoto et al.- Laubach et al. discloses a system wherein an injector (fig.3, CPU, where the CPU performs the functions of the injector) to transfer said data from said central memory (fig.3, 503, ROM) to said processing means only when said data in said central memory fill up to a predetermined middle threshold level ([0156], threshold value) of said central memory (fig.3, 503, ROM). ([155],[0156])

As to **claim 5**, Harumoto et al. – Laubach et al. discloses a system wherein at least one of said threshold levels ([0141], S\_delay) of said central memory depends on a round-trip time between said data requesting device and said server. ([0141], where the delay time to access data from the server)

As to **claim 7**, Harumoto et al.-Laubach et al. discloses a decoder (fig.3, 509),

As to **claim 8**, this is a method corresponding to the system in claim 1. Therefore it has been analyzed and rejected based upon system in claim 1.

As to **claim 9**, Harumoto et al. discloses a device comprising: receiving means(fig.3, 505, transmission/reception module) for receiving requests of determined data from at least one data requesting device ([0122]), specification means for determining at least one size of successive portions ([0195]; where parts of the packet are sent out the server) of said data to be provided to said data requesting device([0195]), and streaming means([0172], streaming performed by server) for triggering streaming of said data portions to said data requesting device ([0172], Server can stream data to the terminal and control its speed), said receiving means (fig.2, 402, transmission/reception module )being intended to receive from said data requesting device information representative of capacities of said data requesting device ([0119], receives any information coming from the terminal ) and said specification means being intended to determine said portion size in function of said information, wherein: said capacities are the maximum bandwidth rate([0139], parameter S max) and input buffer size of said data requesting device ([0139]); said specification means are intended to determine at least one delay between two successive sending steps of said portions in function of said information([0134]), and said streaming means are intended to periodically trigger streaming ([0134]; where transmission speed indicating the amount of information to be transmitted within in a unit time) of said data portions having said portion size to said data requesting device, with a period equal to said delay, ([0134], [0154], [0175]) said data transmitting device being preferably provided for a data requesting device according to claim 1.

As to **claim 10**, this is a method corresponding to the system in claim 2. Therefore it has been analyzed and rejected based upon system in claim 2.

As to **claim 11**, Harumoto et al.-Laubach et al. discloses a device, wherein said data requesting device being able to support up to a maximum bandwidth rate ( [0139], parameter S\_max) and comprising at least one input buffer having an input buffer side ([0134]), said capacities consist in said maximum bandwidth rate and said input buffer

Art Unit: 2152

side.

As to **claim 14**, this is a method corresponding to the system in claim 1. Therefore it has been analyzed and rejected based upon system in claim 1.

As to **claim 15**, this is a program corresponding to the system in claim 1. Therefore it has been analyzed and rejected based upon system in claim 1.

3. Claims 2, 3, 6, 12 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Harumoto et al. (U.S. Patent Pub. No. 2002/0004840 A1) in view of Laubach et al. (U.S. Patent No. 5,870,134) in further view of Clisham et al. (U.S. Patent Pub. No. 2004/0168052 A1)

As to **claim 2**, Harumoto et al. discloses the device wherein it comprises of a data pump (playback module) intended to extract data available ( [0155], where playback module reads data streams from buffer ) in said input buffer (fig.3, 505, reception buffer) and to transfer said data into a central memory (fig.3, 508, decoder buffer) for said data to be exploited by said processing means ([0122], where playback module is the processing means whereby it performs actions on the data ),

Harumoto et al. does not disclose a a pause control signal when said data in said and in that said sending means are intended to transmit said pause control signal to said server.

Clisham et al. does discloses a client device producing a pause control signal (fig.4, 460, pause ) and in that said sending means are intended to transmit said pause control signal to said server. ([0097])

At the time of the invention, it would have been obvious to a person of ordinary skilled in the art to modify Harumoto et al. by incorporating a pause request to the server as disclosed by Clisham et al. The rationale behind this is modification would be that a person of ordinary skill in the art would be motivated to combine the prior arts to achieve the claimed invention.

Art Unit: 2152

As to **claim 3**, Harumoto discloses a Data requesting device wherein said data in said central memory (fig.3, 502, ROM) decrease down to a predetermined low threshold level ([0157], threshold value) of said central memory ([0156])

Clisham et al. discloses a device wherein said data pump ([0097], protocol component) is able to produce a resume control signal (fig.4, 450,play state) when the data transfer from said input buffer to said central memory has been paused and in that said sending means ([0096], protocol component) are intended to transmit said resume control signal ([0096], play state) to said server. ([0095])

As to **claim 6**, Harumoto et al. does not disclose a pause, resume or seek command for controlling the data stream.

Clisham et al. discloses the system wherein said data requesting device is able to produce pause (fig.4, 460, pause), resume (fig.4, 450, play has the same function as resume) and seek control signals (fig. 4, 470, seek) for respectively pausing and resuming data streaming and for positioning at given appropriate places of said determined data, and said sending means are intended to transmit to said server sequences of successively said pause, seek and resume control signals ([0094]-[0098]), so as to allow at least one feature among fast motion and reverse motion.([0098]), where fast forward and rewind operations performed)

As to **claim 12**, Harumoto et al. does not disclose a device intended to receive slow motion messages from requesting device.

Clisham et al. discloses a device wherein said receiving means ([0098], client device) are intended to receive slow motion messages ([0098], where seek state allows the user to preview images) from said data requesting device, and said specification means are intended to determine at least one increased value of said period when said slow motion messages are received. ([0098])

As to **claim 13**, Harumoto et al. does not disclose a device intended at least one kind of messages among fast motion and reverse motion messages,

Art Unit: 2152

Clisham et al. does discloses a device, wherein said receiving means ([0098], client device) are intended to receive at least one kind of messages among fast motion and reverse motion messages ([0098]), where fast forward and rewind operations performed), and said data transmitting device comprises parsing means able to identify successive relevant places in said determined data for at least one of said fast and reverse motions, said specification means being provided for successively positioning at said places, when one of said fast motion and reverse motion messages is received. ([0098])

## Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

Wall et al., U.S. Patent Publication No. 2003/0037160 A1 Yoshida et al. US. Patent Publication No. 2003/0093488 A1 Takeuchi et al., U.S. Patent Publication No. 2003/0236885 A1 Uhler et al., U.S. Patent Publication No. 2001/0039587 A1

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JOE CHACKO whose telephone number is (571)270-3318. The examiner can normally be reached on Monday-Friday 7:30am-5pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bunjob Jaroenchonwanit can be reached on 571-272-3913. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2152

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. C./

Examiner, Art Unit 2152

/Bunjob Jaroenchonwanit/
Supervisory Patent Examiner, Art Unit 2152